

Patient number

Date of visit   
month day year

BPH FORM F03.4

August, 2000

Page 1 of 4

FORM NUMBER = (FORM)  
FORM VERSION = (VERS)

## NIH - BPH TRIAL

### INTERIM VISIT CHECKLIST

This form should be completed at any visits that are not scheduled follow-up visits.

#### Part I / IDENTIFICATION

##### A. Patient Identification

1. Patient number (PATID)

clinic patient

2. Patient's initials (INITS)

first last

3. Patient's date of birth (DOB)

month day year

##### B. Visit Information

1. Date of visit (IVSTDT)

month day year

2. Week of visit (IVIWK)

##### C. Reason for Interim Visit (Check all that apply)

Complete Parts II and III of this form for reasons 1-9 listed below. Also complete any sections or forms noted below.

1. AUA symptom score event (IRAUA4)

☐ Complete AUA Symptom Score Event Report (Form E01)

2. Creatinine rise event (IRCR)

☐ Complete Creatinine Rise Event Report (Form E02)

3. Acute urinary retention event (IRUR)

4. Recurrent urinary tract infection event (IRUTI)

5. Incontinence event (IRINC)

☐☐☐  
Complete Urinary Event Report (Form E03)

6. Adverse event (IRAE)

☐ Complete Adverse Event Report (Form E05)

7. Blood pressure management (IRBPM)

8. Dispense medication (IRMED)

☐☐  
Complete Parts II and III of this form ONLY

9. Intercurrent illness event (IRII)

☐ Complete Part IV of this form

10. TRUS and biopsy (IRBX)

☐ Complete ONLY Part III of this form

11. Blood draw (other than creatinine rise) (IRBLD)

☐ Complete ONLY Part III of this form

Patient number

Date of visit  /  /   
month day year

## Part II / VITAL SIGNS

### D. Blood Pressure

#### 1. Supine Blood Pressure (After lying 5 minutes)

- a. Blood Pressure **(IBPLS)/(IBPLD)**  /  mmHg
- b. Heart Rate **(IBLHR)**  bpm

#### 2. Standing Blood Pressure (Immediately)

- a. Blood Pressure Reading 1 **(IBPSS1)/(IBPSD1)**  /  mmHg
- b. Heart Rate 1 **(IBPSHR1)**  bpm

Wait 2 minutes

- c. Blood Pressure Reading 2 **(IBPSS2)/(IBPSD2)**  /  mmHg
- d. Heart Rate 2 **(IBPSHR2)**  bpm

### E. Orthostatic Hypotension

#### 1. Did the patient have orthostatic hypotension? **(IORTHYP)**

YES NO  
 <sup>1</sup>  <sup>2</sup>

Orthostatic hypotension is defined as a decrease of more than 20mmHg in supine to standing systolic blood pressure or a decrease of more than 10mmHg in supine to standing diastolic blood pressure (in either standing blood pressure reading) or the development of significant postural hypotension.

## Part III / MEDICATION DISPENSING AND COMPLIANCE

### F. Number of days since last visit **(IDDDAYS)**

### G. Doxazosin Compliance

If doxazosin was dispensed at the last visit, returned and/or dispensed today, CONTINUE. If not, SKIP to Section H.

1. Dose of doxazosin **(IDDDOSE)**  <sup>1</sup> 1 mg  <sup>2</sup> 2 mg  <sup>3</sup> 4 mg  <sup>4</sup> 8 mg
2. Number of doxazosin tablets dispensed at the last visit **(IDDDISL)**
3. Number of doxazosin tablets returned today **(IDDRET)**

Patient number

Date of visit   
month day year

4. Compliance (IDDCOMP)  
$$\frac{\text{tabs dispensed (\#2)} - \text{tabs returned (\#3)}}{\text{days since last visit (question F)}} \times 100$$
  %

NOTE: Counsel patient if less than 80% compliant with doxazosin.

5. Number of doxazosin tablets dispensed today (IDDDIST)

#### H. Finasteride Compliance

If finasteride was dispensed at the last visit, returned and/or dispensed today, CONTINUE. If not, SKIP to Section I.

1. Number of finasteride tablets dispensed at the last visit (IDFDISL)

2. Number of finasteride tablets returned today (IDFRET)

3. Compliance (IDFCOMP)

$$\frac{\text{tabs dispensed (\#1)} - \text{tabs returned (\#2)}}{\text{days since last visit (question F)}} \times 100$$
  %

NOTE: Counsel patient if less than 80% compliant with finasteride.

4. Number of finasteride tablets dispensed today (IDFDIST)

#### I. Concomitant Medications

- |  | YES                               | NO                                |
|--|-----------------------------------|-----------------------------------|
| 1. Is the patient currently taking coded doxazosin? (IDDCODE)                        | <input type="text"/> <sup>1</sup> | <input type="text"/> <sup>2</sup> |
| 2. Is the patient currently taking coded finasteride? (IDFCODE)                      | <input type="text"/> <sup>1</sup> | <input type="text"/> <sup>2</sup> |
| 3. Has the patient taken viagra (sildenafil citrate) since the last visit? (ICMVIAG) | <input type="text"/> <sup>1</sup> | <input type="text"/> <sup>2</sup> |

Patient number

Date of visit

<input type="text"/>	<input type="text"/>	<input type="text"/>
month	day	year

Part IV / INTERCURRENT ILLNESS EVENT

J. Intercurrent Illness Information

1. Specify intercurrent illness: **(IIISPEC)**

---

---

2. Is this a serious event? **(IIISE)**

YES NO

<input type="text"/>	<input type="text"/>
1	2

3. Specify action taken: **(IIIACT)**

---

---

4. Intercurrent illness event declared? **(IIIDEC)**

<input type="text"/>	<input type="text"/>
1	2

Consultation with the Clinical Review Committee is required to declare an intercurrent illness stop point (i.e. discontinuation of coded medications).

If YES:

a. Date of confirmation by Clinical Review Committee **(IIICONF)**

<input type="text"/>	<input type="text"/>	<input type="text"/>
month	day	year

Signature of P.I.

\_\_\_\_ Date \_\_\_\_

Initials of person completing form **(FORMIN)**

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
first	last		

Form entered in computer?

☐